




Precision Annealed Stainless Steel Metal Tube Pipe 304L 316L 317L 15mm

Our Product Introduction

Basic Information

- Place of Origin: china
- Brand Name: ShengQuan
- Certification: ISO9001:2000
- Model Number: 201/304/304L/316/316L/321/309/310/32750/32760/90
- Minimum Order Quantity: 1ton
- Price: USD1500-USD6000
- Packaging Details: Standard Export Sea-Worthy Packing
- Delivery Time: 5-15days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 15000Tons



Product Specification

- Application: Construction, Kitchenware, Decoration, chemical
- Width: Or As Required
- Type: Plate, Coil, stainless Steel Sheet
- Standard: ASTM, JIS, AISI, EN, GB
- Length: Customer's Request
- Grade: 201/202/304
/304L/316/316L/321/310s/410/420/430/440/430
- Product Name: ASTM JIS SUS 201 202 301 304 304L 316
316L 310 Stainless Steel Sheet
- Thickness: 0.3mm-120mm, 0.18-1.5mm, 0.2-60mm, 0.45-5mm, 0.01-200mm
- Certification: ISO, SGS, Other
- Highlight: **316L Stainless Steel Metal Tube,
Annealed Stainless Steel Metal Tube,
316L 15mm stainless tube**



Product Description

Precision SGS Welded Stainless Steel Pipe 201 202 304 304L 316 316L 317L Stainless Steel Bright Annealed Tube

304 stainless steel tube is a cylindrical, hollow machine and piping component manufactured of a specific steel alloy and commonly used to transfer fluids and gasses. 304 stainless steel is commonly used in industrial, commercial, and even domestic contexts since it has the great tensile durability and strength that almost all steels are recognized for, and good forming and welding qualities.

| Chemical Properties of Frequently-used Stainless Steel Material Grade | | | | | | | | | | | |
|---|---------|--------|----------|-----------|----------|--------|-------|-------|------------|-----------|---------|
| UNS | ASTM | EN | JIS | C% | Mn% | P% | S% | Si % | Cr% | Ni% | Mo % |
| S20100 | 201 | 1.4372 | SUS201 | ≤0.15 | 5.5-7.5 | ≤0.06 | ≤0.03 | ≤1.00 | 16.0-18.0 | 3.5-5.5 | - |
| S20200 | 202 | 1.4373 | SUS202 | ≤0.15 | 7.5-10.0 | ≤0.06 | ≤0.03 | ≤1.00 | 17.0-19.0 | 4.0-6.0 | - |
| S30100 | 301 | 1.4319 | SUS301 | ≤0.15 | ≤2.00 | ≤0.045 | ≤0.03 | ≤1.00 | 16.0-18.0 | 6.0-8.0 | - |
| S30400 | 304 | 1.4301 | SUS304 | ≤0.08 | ≤2.00 | ≤0.045 | ≤0.03 | ≤0.75 | 18.0-20.0 | 8.0-10.5 | - |
| S30403 | 304L | 1.4306 | SUS304L | ≤0.03 | ≤2.00 | ≤0.045 | ≤0.03 | ≤0.75 | 18.0-20.0 | 8.0-12.0 | - |
| S30908 | 309S | 1.4833 | SUS309S | ≤0.08 | ≤2.00 | ≤0.045 | ≤0.03 | ≤0.75 | 22.0-24.0 | 12.0-15.0 | - |
| S31008 | 310S | 1.4845 | SUS310S | ≤0.08 | ≤2.00 | ≤0.045 | ≤0.03 | ≤0.50 | 24.0-26.0 | 19.0-22.0 | - |
| S31600 | 316 | 1.4401 | SUS316 | ≤0.08 | ≤2.00 | ≤0.045 | ≤0.03 | ≤0.75 | 16.0-18.0 | 10.0-14.0 | 2.0-3.0 |
| S31603 | 316L | 1.4404 | SUS316L | ≤0.03 | ≤2.00 | ≤0.045 | ≤0.03 | ≤0.75 | 16.0-18.0 | 10.0-14.0 | 2.0-3.0 |
| S31703 | 317L | 1.4438 | SUS317L | ≤0.03 | ≤2.00 | ≤0.045 | ≤0.03 | ≤0.75 | 18.0-20.0 | 11.0-15.0 | 3.0-4.0 |
| S32100 | 321 | 1.4541 | SUS321 | ≤0.08 | ≤2.00 | ≤0.045 | ≤0.03 | ≤0.75 | 17.0-19.0 | 9.0-12.0 | - |
| S34700 | 347 | 1.4550 | SUS347 | ≤0.08 | ≤2.00 | ≤0.045 | ≤0.03 | ≤0.75 | 17.0-19.0 | 9.0-13.0 | - |
| S40500 | 405 | 1.4002 | SUS405 | ≤0.08 | ≤1.00 | ≤0.04 | ≤0.03 | ≤1.00 | 11.5-14.5 | ≤0.60 | - |
| S40900 | 409 | 1.4512 | SUS409 | ≤0.08 | ≤1.00 | ≤0.045 | ≤0.03 | ≤1.00 | 10.5-11.75 | ≤0.50 | - |
| S43000 | 430 | 1.4016 | SUS430 | ≤0.12 | ≤1.00 | ≤0.040 | ≤0.03 | ≤0.75 | 16.0-18.0 | ≤0.60 | - |
| S43400 | 434 | 1.4113 | SUS434 | ≤0.12 | ≤1.00 | ≤0.040 | ≤0.03 | ≤1.00 | 16.0-18.0 | - | - |
| S44400 | 444 | 1.4521 | SUS444L | ≤0.025 | ≤1.00 | ≤0.045 | ≤0.03 | ≤1.00 | 17.5-19.5 | ≤1.00 | - |
| S40300 | 403 | - | SUS403 | ≤0.15 | 5.5-7.5 | ≤0.04 | ≤0.03 | ≤0.50 | 11.5-13.0 | ≤0.60 | - |
| S41000 | 410 | 1.4006 | SUS410 | ≤0.15 | ≤1.00 | ≤0.035 | ≤0.03 | ≤1.00 | 11.5-13.5 | ≤0.60 | ≤1.00 |
| S42000 | 420 | 1.4021 | SUS420J1 | 0.16~0.25 | ≤1.00 | ≤0.04 | ≤0.03 | ≤1.00 | 12.0-14.0 | ≤0.75 | ≤1.00 |
| S440A | 440A | 1.4028 | SUS440A | 0.60~0.75 | ≤1.00 | ≤0.04 | ≤0.03 | ≤1.00 | 16.0-18.0 | - | ≤0.75 |
| S32750 | SAD2507 | 1.4410 | - | ≤0.03 | ≤1.2 | ≤0.035 | ≤0.02 | ≤0.80 | 24.0-26.0 | 6.0-8.0 | 3.0-5.0 |

| | | | | | | | | | | | |
|--------|---------|--------|--|-------|------|--------|-------|-------|-----------|-----------|---------|
| S31803 | SAF2205 | 1.4462 | | ≤0.03 | ≤2.0 | ≤0.03 | ≤0.02 | ≤1.00 | 21.0-23.0 | 4.0-6.5 | 2.5-3.5 |
| N08904 | 904L | 1.4539 | | ≤0.03 | ≤2.0 | ≤0.035 | ≤0.03 | ≤1.00 | 18.0-20.0 | 23.0-25.0 | 3.0-4.0 |



Packing & Delivery

1. Who are we?

We are based in wuxi, China, start from 2021, sell to Mid East(35.00%), South America(20.00%), Southeast Asia(20.00%), Africa(5.00%), Eastern Asia(5.00%), Northern Europe(5.00%), Southern Europe(5.00%), South Asia(5.00%). There are total about 51-100 people in our office.

2. How can we guarantee quality?

Always a pre-production sample before mass production;
Always final Inspection before shipment;

3. What can you buy from us?

steel sheet coil, ppgi ppgl, galvanized steel coil, aluminum steel coil sheet, stainless steel

4. Why should you buy from us not from other suppliers?

Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

5. What services can we provide?

Accepted Delivery Terms: FOB, CFR, CIF, EXW, FCA, DDP, DDU, Express Delivery
Accepted Payment Currency: USD, EUR, CNY;
Accepted Payment Type: T/T, L/C, Credit Card, Weste



15370898866



523639146@qq.com



metalsstainless-steel.com

Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City