



AISI 2B 304 Stainless Steel Sheet DIN ASTM SS410 SS409 SS420

Our Product Introduction

Basic Information

- Place of Origin: china
- Brand Name: ShengQuan
- Certification: ISO9001:2000
- Model Number: 201/304/304L/316/316L/321/309/310/32750/32760/90
- Minimum Order Quantity: 1ton
- Price: USD1500-USD6000
- Packaging Details: Standard Export Sea-Worthy Packing
- Delivery Time: 5-15days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 15000Tons



Product Specification

- Application: Construction, Kitchenware, Decoration, chemical
- Width: Or As Required
- Type: Plate, Coil, stainless Steel Sheet
- Standard: ASTM, JIS, AISI, EN, GB
- Length: Customer's Request
- Grade: 201/202/304
/304L/316/316L/321/310s/410/420/430/440/430
- Thickness: 0.3mm-120mm, 0.18-1.5mm, 0.2-60mm, 0.45-5mm, 0.01-200mm
- Surface Treatment: Galvanized
- Highlight: Galvanized 304 Stainless Steel Sheet,
2B 304 Stainless Steel Sheet,
SS410 Stainless Steel Sheet



Product Description

AISI 2B 304 Stainless Steel Sheet DIN ASTM SS410 SS409 SS420

304 stainless steel is a common material in stainless steel, with a density of 7.93 g/cm³, also known as 18/8 stainless steel in the industry. High temperature resistance of 800 , with good processing performance and high toughness, widely used in industrial and furniture decoration industries, as well as food and medical industries. 304 is a versatile stainless steel widely used in the production of equipment and components that require good comprehensive performance (corrosion resistance and formability). In order to maintain the inherent corrosion resistance of stainless steel, steel must contain more than 18% chromium and more than 8% nickel. 304 stainless steel is a grade of stainless steel produced according to the American ASTM standard.

Standard	AISI,ASTM,GB,JIS	Material	SGCC,S350GD+Z,S550GD+Z,DX51D,DX52D,DX53D
Thickness	0.16-5mm	Width	25-1500mm
Tolerance	+/-0.02mm	Zinc coating	60-275g/m2
Coil ID	508-610MM	Coil Weight	3-8 tons
Technique	Hot rolled, cold rolled	Package	seaworthy package
Certification	ISO 9001-2008,SGS,CE,BV	MOQ	25 TONS (in one 20ft FCL)
Delivery	15-20 days	Monthly Output	10000 tons
Surface treatment:	oiled, passivation or chromium-free passivation, passivation+oiled, chromium-free passivation+oiled, resistant to fingerprints or chromium-free resistant to fingerprints		
Spangle	regular spangle,minimal spangle, zero spangle,big spangle		
Payment	30%T/T in advanced+70% balanced;irrevocable L/C at sight		
Remarks	Insurance is all risks and accept the third party test		
Mechanical properties of galvanized steel			
Usage	Grade	Yield strength(MPa)	Tensile strength(MPa)
Punching galvanized steel	DC51D+Z	-	270-500
	DC52D+Z	140-300	270-420
	DC53D+Z	140-260	270-380
Structure galvanized steel	S280GD+Z	≥280	≥360
	S350GD+Z	≥350	≥420
	S550GD+Z	≥550	≥560





Packing & Delivery

1. Who are we?

We are based in wuxi, China, start from 2021, sell to Mid East(35.00%), South America(20.00%), Southeast Asia(20.00%), Africa(5.00%), Eastern Asia(5.00%), Northern Europe(5.00%), Southern Europe(5.00%), South Asia(5.00%). There are total about 51-100 people in our office.

2. How can we guarantee quality?

Always a pre-production sample before mass production;
Always final Inspection before shipment;

3. What can you buy from us?

steel sheet coil, ppgi ppgl, galvanized steel coil, aluminum steel coil sheet, stainless steel

4. Why should you buy from us not from other suppliers?

Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

5. What services can we provide?

Accepted Delivery Terms: FOB, CFR, CIF, EXW, FCA, DDP, DDU, Express Delivery

Accepted Payment Currency: USD, EUR, CNY;

Accepted Payment Type: T/T, L/C, Credit Card, Weste



Wuxi Shengquan Metal Products Co., Ltd.



15370898866



523639146@qq.com



metalsstainless-steel.com

Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City