


## Ss 304l 304 316 Stainless Steel Seamless Tubes Thickness 1.0 - 4.0mm Sus304h

Our Product Introduction

for more products please visit us on [metalsstainless-steel.com](http://metalsstainless-steel.com)

### Basic Information

- Place of Origin: china
- Brand Name: ShengQuan
- Certification: ISO9001:2000
- Model Number: 201/304/304L/316/316L/321/309/310/32750/32760/904
- Minimum Order Quantity: 1ton
- Price: USD1500-USD6000
- Packaging Details: Standard Export Sea-Worthy Packing
- Delivery Time: 5-15days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 15000Tons




### Product Specification

- Width: Or As Required
- Type: Plate, Coil, Sheet, tube
- Standard: ASTM, JIS, AISI, EN, GB
- Length: Customer's Request
- Thickness: 0.3mm-120mm, 0.18-1.5mm, 0.2-60mm, 0.45-5mm, 0.01-200mm
- Surface Treatment: Galvanized
- Technique: Cold Rolled, Hot Rolled
- Grade: SGCC
- Highlight: 4.0mm Sus316 Pipe,  
316 Stainless Steel Seamless Tubes,  
Sus304h Stainless Steel Seamless Tubes



### More Images



## Product Description

### **Ss 304l 304 316 Stainless Steel Seamless Tubes Thickness 1.0-4.0mm Sus304h**

Both elements are expensive and increased quantities of either element will make the steel more expensive, with nickel being more expensive than chromium. In fact, it currently costs more than five cents to produce a five cent ("nickel") coin. There are grades of Type 300 series steel that are more corrosion resistant than Type 304 or Type 316, but because they have increased amounts of chromium and/or nickel, or some other alloying element(s), they are, consequently, more expensive.

|                                           |                                                                                                                                                                           |                     |                                          |
|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|------------------------------------------|
| Standard                                  | AISI,ASTM,GB,JIS                                                                                                                                                          | Material            | SGCC,S350GD+Z,S550GD+Z,DX51D,DX52D,DX53D |
| Thickness                                 | 0.16-5mm                                                                                                                                                                  | Width               | 25-1500mm                                |
| Tolerance                                 | +/-0.02mm                                                                                                                                                                 | Zinc coating        | 60-275g/m2                               |
| Coil ID                                   | 508-610MM                                                                                                                                                                 | Coil Weight         | 3-8 tons                                 |
| Technique                                 | Hot rolled, cold rolled                                                                                                                                                   | Package             | seaworthy package                        |
| Certification                             | ISO 9001-2008,SGS,CE,BV                                                                                                                                                   | MOQ                 | 25 TONS (in one 20ft FCL)                |
| Delivery                                  | 15-20 days                                                                                                                                                                | Monthly Output      | 10000 tons                               |
| Surface treatment:                        | oiled, passivation or chromium-free passivation, passivation+oiled, chromium-free passivation+oiled, resistant to fingerprints or chromium-free resistant to fingerprints |                     |                                          |
| Spangle                                   | regular spangle,minimal spangle, zero spangle,big spangle                                                                                                                 |                     |                                          |
| Payment                                   | 30%T/T in advanced+70% balanced;irrevocable L/C at sight                                                                                                                  |                     |                                          |
| Remarks                                   | Insurance is all risks and accept the third party test                                                                                                                    |                     |                                          |
| Mechanical properties of galvanized steel |                                                                                                                                                                           |                     |                                          |
| Usage                                     | Grade                                                                                                                                                                     | Yield strength(MPa) | Tensile strength(MPa)                    |
| Punching galvanized steel                 | DC51D+Z                                                                                                                                                                   | -                   | 270-500                                  |
|                                           | DC52D+Z                                                                                                                                                                   | 140-300             | 270-420                                  |
|                                           | DC53D+Z                                                                                                                                                                   | 140-260             | 270-380                                  |
| Structure galvanized steel                | S280GD+Z                                                                                                                                                                  | ≥280                | ≥360                                     |
|                                           | S350GD+Z                                                                                                                                                                  | ≥350                | ≥420                                     |
|                                           | S550GD+Z                                                                                                                                                                  | ≥550                | ≥560                                     |





#### Packing & Delivery

##### 1. Who are we?

We are based in wuxi, China, start from 2021, sell to Mid East(35.00%), South America(20.00%), Southeast Asia(20.00%), Africa(5.00%), Eastern Asia(5.00%), Northern Europe(5.00%), Southern Europe(5.00%), South Asia(5.00%). There are total about 51-100 people in our office.

##### 2. How can we guarantee quality?

Always a pre-production sample before mass production;  
Always final Inspection before shipment;

##### 3. What can you buy from us?

steel sheet coil, ppgi ppgl, galvanized steel coil, aluminum steel coil sheet, stainless steel

##### 4. Why should you buy from us not from other suppliers?

Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

##### 5. What services can we provide?

Accepted Delivery Terms: FOB, CFR, CIF, EXW, FCA, DDP, DDU, Express Delivery

Accepted Payment Currency: USD, EUR, CNY;

Accepted Payment Type: T/T, L/C, Credit Card, Weste



**Wuxi Shengquan Metal Products Co., Ltd.**



15370898866



523639146@qq.com



metalsstainless-steel.com

Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City