



Polishing Pickling 316 Stainless Steel Round Tube 6m 12m Long Mirror Surface

Our Product Introduction

Basic Information

- Place of Origin: china
- Brand Name: ShengQuan
- Certification: ISO9001:2000
- Model Number: 201/304/304L/316/316L/321/309/310/32750/32760/90
- Minimum Order Quantity: 1ton
- Price: USD1500-USD6000
- Packaging Details: Standard Export Sea-Worthy Packing
- Delivery Time: 5-15days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 15000Tons



Product Specification

- Width: Or As Required
- Type: Plate,Coil, Sheet,tube
- Standard: ASTM,JIS,AISI,EN,GB
- Length: Customer's Request
- Surface Treatment: Galvanized
- Technique: Cold Rolled,Hot Rolled
- Grade: SGCC
- Highlight: **Mirror Surface 316 Stainless Steel Pipe,
316 Stainless Steel Round Tube 6m,
Polishing 316 Stainless Steel Round Tube**



Product Description

Polishing Pickling 316 Stainless Steel Round Tube 6m 12m Long Mirror Surface

During welding, the carbon and chromium elements of 300 series stainless steels begin to react with one another, forming chromium carbide. Because the chromium is transformed into chromium carbide, there isn't enough chromium remaining in the steel to form the chromium oxide layer. This results in rust forming in the areas near the weld. By reducing the carbon contents in L-grade steel, the formation of chromium carbide during welding is hindered, and thus, lessens the chance for corrosion along welded joints. Accordingly, it's only necessary to specify L-grade steel for welded components.

Standard	AISI,ASTM,GB,JIS	Material	SGCC,S350GD+Z,S550GD+Z,DX51D,DX52D,DX53D
Thickness	0.16-5mm	Width	25-1500mm
Tolerance	+/-0.02mm	Zinc coating	60-275g/m2
Coil ID	508-610MM	Coil Weight	3-8 tons
Technique	Hot rolled, cold rolled	Package	seaworthy package
Certification	ISO 9001-2008,SGS,CE,BV	MOQ	25 TONS (in one 20ft FCL)
Delivery	15-20 days	Monthly Output	10000 tons
Surface treatment:	oiled, passivation or chromium-free passivation, passivation+oiled, chromium-free passivation+oiled, resistant to fingerprints or chromium-free resistant to fingerprints		
Spangle	regular spangle,minimal spangle, zero spangle,big spangle		
Payment	30%T/T in advanced+70% balanced;irrevocable L/C at sight		
Remarks	Insurance is all risks and accept the third party test		
Mechanical properties of galvanized steel			
Usage	Grade	Yield strength(MPa)	Tensile strength(MPa)
Punching galvanized steel	DC51D+Z	-	270-500
	DC52D+Z	140-300	270-420
	DC53D+Z	140-260	270-380
Structure galvanized steel	S280GD+Z	≥280	≥360
	S350GD+Z	≥350	≥420
	S550GD+Z	≥550	≥560



Packing & Delivery

1. Who are we?

We are based in wuxi, China, start from 2021, sell to Mid East(35.00%), South America(20.00%), Southeast Asia(20.00%), Africa(5.00%), Eastern Asia(5.00%), Northern Europe(5.00%), Southern Europe(5.00%), South Asia(5.00%). There are total about 51-100 people in our office.

2. How can we guarantee quality?

Always a pre-production sample before mass production;
Always final Inspection before shipment;

3. What can you buy from us?

steel sheet coil, ppgi ppgl, galvanized steel coil, aluminum steel coil sheet, stainless steel

4. Why should you buy from us not from other suppliers?

Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

5. What services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FCA,DDP,DDU,Express Delivery
Accepted Payment Currency:USD,EUR,CNY;
Accepted Payment Type: T/T,L/C,Credit Card,Weste



Wuxi Shengquan Metal Products Co., Ltd.



15370898866



523639146@qq.com



metalsstainless-steel.com

Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City